



**Centrum stavebního inženýrství a.s. Praha**  
**Centre of Building Construction Engineering Prague**

Akreditované zkušební laboratoře, Autorizovaná osoba,  
Oznámený subjekt, Certifikační orgán  
Accredited Test Laboratories, Authorised Body,  
Notified Body, Certification Body  
Pražská 16, 102 00 Praha 10



**Notified Body 1390**  
**CERTIFICATE**  
**OF CONSTANCY OF PERFORMANCE**

**1390 – CPR – 0072/07/P**

In compliance with the Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products

***Factory made mineral wool products ROCKWOOL used for thermal insulation of buildings, sold under the trade marks***

***(trade marks and type codes according to EN 13 162 are given in the annex to the certificate )***

placed on the market by : **ROCKWOOL Polska, Sp.z o.o.**  
ul. Kwiatowa 14  
66-131 Cigacice, Poland

and produced in the : **ROCKWOOL Polska, Sp.z o.o.**  
manufacturing plant ul. Kwiatowa 14  
66-131 Cigacice, Poland  
(production lines CIG 1, 3, 4)

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard

**EN 13 162:2012 +A1:2015**

under system 1 for the performances set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 21. 12. 2007 as a certificate pursuant to CPD and will remain valid as long as neither the harmonised standard, the construction product, the AVPC methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Notified Body 1390  
Prague, 01. 09. 2016



  
Ing. Petr Kučera, PhD.  
Deputy of Notified Body 1390





**Centrum stavebního inženýrství a.s. Praha**  
**Centre of Building Construction Engineering Prague**  
 Akreditované zkušební laboratoře, Autorizovaná osoba,  
 Oznámený subjekt, Certifikační orgán  
 Accredited Test Laboratories, Authorised Body,  
 Notified Body, Certification Body  
 Pražská 16, 102 00 Praha 10



**Annex to the EC-Certificate of Constancy of Performance 1390-CPR-0072/07/P**  
**The certificate covers the following products of ROCKWOOL Polska, Cigacice factory:**

Trade mark	Thermal conductivity W/mK	Reaction to fire	Type code according to EN 13 162	Line		
DOMROCK (d=100-200)	0,045	A1	MW-EN 13162-T1-WS-WL(P)-MU1	CIG3		
ROCK-ROLL (d=100-200)						
MATA W (d=100-200)						
ROCKMIN (d=40-200)	0,039	A1	MW-EN 13162-T2-WS-WL(P)-MU1	CIG3		
MULTIROCK (d=40-200)						
ROCKBATTS (d=40-200)						
STALROCK (d=40-200)						
PLYTA z WELNY MINERALNEJ (d=40-200)						
FLIZROCK (d=40-200)						
ROCKBATTS SUPER (d=40-220)	0,034	A1	MW-EN 13162-T2-WS-MU1			
TOPROCK (d=80-200)	0,035	A1	MW-EN 13162-T2-WS-MU1			
ROCKTON F (d=40-200)	0,036	A1	MW-EN 13162-T3-CS(10)0,5-WS-MU1	CIG4		
INDUSTRIAL F50 (d=20-200)	0,036		MW-EN 13162-T3-WS-MU1			
PANELROCK (d=30-200)	0,036	A1	MW-EN 13162-T3-CS(10)0,5-WS-MU1	CIG3		
INDUSTRIAL 50 (d=20-200)	0,036		MW-EN 13162-T3-WS-MU1			
INDUSTRIAL 60 (d=20-200)				CIG4		
PANELROCK F (d=40-200)	0,036	A1	MW-EN 13162-T3-CS(10)0,5-WS-MU1	CIG4		
INDUSTRIAL F60 (d=20-200)	0,036		MW-EN 13162-T3-WS-MU1			
INDUSTRIAL F80 (d=20-200)						
SOUNDROCK 7 SE (d=40-200)	0,036		MW-EN 13162-T3-CS(10)0,5-WS-MU1			
STALROCK MAX F (d=40-200)						
VENTI MAX F (d=80-200)						
VENTI MAX F Corner (d=80-200)						
STALROCK MAX (d= 50-210)	0,035	A1	MW-EN 13162-T3-CS(10)0,5-WS-MU1	CIG3		
PANELROCK 80 (d=40-200)	0,036		MW-EN 13162-T3-CS(10)0,5-WS-MU1	CIG3		
INDUSTRIAL 80 (d=20-200)	0,036		MW-EN 13162-T3-WS-MU1	CIG4		
BLOCZEK TRAPEZOWY (d=40-200)	0,036		MW-EN 13162-T3-CS(10)0,5-WS-MU1	CIG3		
VENTI MAX (d=80-200)				CIG4		
WENTIROCK MAX (d=80-200)						
WENTIROCK (d= 20-79)	0,037	A1	MW-EN 13162-T4-CS(10)10-TR7,5-WS-MU1	CIG1		
WENTIROCK (d= 80-200)	0,037	A1	MW-EN 13162-T4-CS(10)10-TR7,5-WS-AW0,95-MU1	CIG3 CIG4		
WENTIROCK F (d=30-200)	0,037	A1	MW-EN 13162-T4-CS(10)10-TR7,5-WS-MU1	CIG4		
INDUSTRIAL F100 (d=20-200)	0,037		MW-EN 13162-T4-WS-MU1			
INDUSTRIAL F120 (d=20-200)						
SOUNDROCK 9 SE (d=30-200)	0,037		MW-EN 13162-T4-CS(10)10-TR7,5-WS-MU1			
SOUNDROCK 10 SE (d=30-200)						
WENTIROCK F Corner (d=80-200)						
INDUSTRIAL 2F80 (d=20-200)			0,036		MW-EN 13162-T4	
INDUSTRIAL 2F100 (d=30-200)	0,037		MW-EN 13162-T4			
FASROCK MAX (d=80-100)	0,039		A1		MW-EN 13162-T4-DS(70,90)-CS(10)10-TR7,5-WS-MU1	CIG1 CIG3 CIG4
FASROCK MAX (d=110-200)	0,037		A1			
FASROCK XL (d=80-200)	0,042	A2	MW-EN 13162-T5-DS(70,90)-CS(10)40-TR100-WS-MU1	CIG1 CIG3 CIG4		
CB ROCK (d=40-200)	0,038	A1	MW-EN 13162-T4-DS(70,90)-TR7,5-PL(5)100-WS-MU1	CIG1 CIG3 CIG4		





**Centrum stavebního inženýrství a.s. Praha**  
**Centre of Building Construction Engineering Prague**

Akreditované zkušební laboratoře, Autorizovaná osoba,  
 Oznámený subjekt, Certifikační orgán  
 Accredited Test Laboratories, Authorised Body,  
 Notified Body, Certification Body  
 Pražská 16, 102 00 Praha 10



**Annex to the EC-Certificate of Constancy of Performance 1390-CPR-0072/07/P**  
**The certificate covers the following products of ROCKWOOL Polska, Cigacice factory:**

Trade mark	Thermal conductivity W/mK	Reaction to fire	Type code according to EN 13 162	Line
TARMONTROCK (d=80-200)	0,045	A1	MW-EN 13162-T4-CS(10\Y)70-TR120-WS-MU1-SS50	CIG1 CIG3 CIG4
SANDWICHROCK (d=80-200)				
SANDWICH BATTS CB (d=80-200)				
BLOCZEK PW LAMELLA (d=40-200)	0,045	A1	MW-EN 13162-T5-CS(10\Y)70-TR120-WS-MU1-SS50	
MONROCK MAX (d=40-79)	0,040	A1	MW-EN 13162-T4-DS(70,90)-CS(10)40-TR7,5-PL(5)350-WS-WL(P)-MU1	
MONROCK MAX (d=80-200)	0,039	A1	MW-EN 13162-T4-DS(70,90)-CS(10)40-TR7,5-PL(5)400-WS-WL(P)-MU1	
DACHROCK MAX (d=40-79)	0,041	A1	MW-EN 13162-T4-DS(70,-)-DS(70,90)-CS(10)50-TR15-PL(5)400-WS-WL(P)-MU1	
DACHROCK MAX (d=80-200)	0,040	A1	MW-EN 13162-T4-DS(70,-)-DS(70,90)-CS(10)50-TR15-PL(5)500-WS-WL(P)-MU1	CIG1 CIG3 CIG4
DACHROCK MAX HARD (d=40-79)	0,042	A1	MW-EN 13162-T4-DS(70,-)-DS(70,90)-CS(10)70-TR15-PL(5)400-WS-WL(P)-MU1	
DACHROCK MAX HARD (d=80-200)	0,042	A1	MW-EN 13162-T4-DS(70,-)-DS(70,90)-CS(10)70-TR15-PL(5)500-WS-WL(P)-MU1	
SPODROCK SPODROCK WG (d=20-180)	0,039	A1	MW-EN 13162-T4-DS(70,90)-CS(10)30-TR7,5-PL(5)300-WS-WL(P)-MU1	
INDUSTRIAL 120 (d=20-250)			MW-EN 13162-T4-WS-MU1	CIG1
INDUSTRIAL 120 (d=20-200)	0,039	A1	MW-EN 13162-T4-WS-MU1	CIG3 CIG4
DACHROCK ROCKFALL d=40-150	0,040	A1	MW-EN 13162-T5-DS(70,-)-DS(70,90)-CS(10)70-TR15-PL(5)650-WS-WL(P)-MU1	CIG3
STROPROCK RST Pasek (d=20-200) FLOOR BATTS (d=20-200)	0,041	A1	MW-EN 13162-T6-CS(10)50-PL(5)400-WS-CP4-MU1	CIG1 CIG3 CIG4
ROCKLIT (d=20-200)				
DACHROCK 185 (d=20-40)	0,042	A1	MW-EN 13162-T4-CS(10)80-TR15-PL(5)700-WS-WL(P)-MU1	
LAMROCK (d=40-200) LAMROCK MAX (d=40-200)	0,045	A1	MW-EN 13162-T5-DS(70,90)-CS(10\Y)80-TR150-WS-WL(P)-MU1-SS70	CIG3
INDUSTRIAL T 100 (d=15-250)				
INDUSTRIAL T100 (d=15-200)	0,038	A1	MW-EN 13162-T4-CS(10)0,5-WS-MU1	CIG1
INDUSTRIAL T 120 (d=15-250)			MW-EN 13162-T4-CS(10)0,5-WS-MU1	CIG3 CIG4
INDUSTRIAL T120 (d=15-200)			MW-EN 13162-T4-CS(10)0,5-WS-MU1	CIG1
INDUSTRIAL D 110 (d=15-200)	0,038	A1	MW-EN 13162-T4-WS-MU1	CIG1 CIG3 CIG4





**Centrum stavebního inženýrství a.s. Praha**  
**Centre of Building Construction Engineering Prague**  
Akreditované zkušební laboratoře, Autorizovaná osoba,  
Oznámený subjekt, Certifikační orgán  
Accredited Test Laboratories, Authorised Body,  
Notified Body, Certification Body  
Pražská 16, 102 00 Praha 10




**Annex to the EC-Certificate of Constancy of Performance 1390-CPR-0072/07/P**  
**The certificate covers the following products of ROCKWOOL Polska, Cigacice factory:**

Trade mark	Thermal conductivity W/mK	Reaction to fire	Type code according to EN 13 162	Line
INDUSTRIAL D 190 (d=15-200)	0,045	A1	MW-EN 13162-T4-WS-MU1	CIG1
BETAROCK 80 (d=15-200)	0,038	A1	MW-EN 13162-T4-WS-MU1	CIG3 CIG4
BETAROCK 110 (d=15-200)	0,038	A1	MW-EN 13162-T4-WS-MU1	CIG1 CIG3 CIG4
BETAROCK 150 (d=15-200)	0,040	A1	MW-EN 13162-T4-WS-MU1	CIG1 CIG3 CIG4
BETAROCK ALU150 (d=15-200)	0,040	A1	MW-EN 13162-T4-WS	CIG3
BETAROCK 180 (d=15-200)	0,045	A1	MW-EN 13162-T4-WS-MU1	CIG1
MARC 180 (d=15-150)	0,045	A1	MW-EN 13162-T4-WS-MU1	CIG1
FIRE DOORS D 110 (d=15-150)	0,038	A1	MW-EN 13162-T4-WS-MU1	CIG1 CIG3 CIG4
FIRE DOORS D 150 (d=15-150)	0,040	A1	MW-EN 13162-T4-WS-MU1	CIG1 CIG3 CIG4
FIRE DOORS D 190 (d=15-150)	0,045	A1	MW-EN 13162-T4-WS-MU1	CIG1
LAMROCK S (d=40-200)	0,044	A1	MW-EN 13162-T5-TR80	
LAMROCK M (d=40-200)	0,045	A1	MW-EN 13162-T5-TR100	
LAMROCK XS (d=40-200)	0,041	A1	MW-EN 13162-T5-TR80	
SPANROCK L (d=40-200)	0,040	A1	MW-EN 13162-T5-TR5	
SPANROCK L 1075 (d=40-200)	0,040	A1	MW-EN 13162-T5-TR5	
SPANROCK M SPANROCK MM (d=40-200)	0,038	A1	MW-EN 13162-T5-TR5	CIG3
SPANROCK M77 (d=40-200)	0,038	A1	MW-EN 13162-T5-TR5	
SPANROCK S (d=40-200)	0,038	A1	MW-EN 13162-T5-TR5	
SPANROCK S66 (d=40-200)	0,038	A1	MW-EN 13162-T5-TR5	
SPANROCK XL (d=40-200)	0,040	A1	MW-EN 13162-T5-TR5	
SPANROCK XS (d=40-200)	0,041	A1	MW-EN 13162-T5-TR5	

Product declaration of RST Pasek formed by cutting of STROPROCK product is derived from declared parameters of this product.

Notified Body 1390  
Prague, 01. 09. 2016



  
Ing. Petr Kučera, PhD.  
Deputy of Notified Body 1390