



**Centrum stavebního inženýrství a.s. Praha**  
**Centre of Building Construction Engineering Prague**

Akreditované zkušební laboratoře, Autorizovaná osoba,  
Oznámený subjekt, Certifikační orgán  
Accredited Test Laboratories, Authorised Body,  
Notified Body, Certification Body  
Pražská 16, 102 00 Praha 10



**Notified Body 1390**

**CERTIFICATE OF CONSTANCY OF PERFORMANCE**

**1390 – CPR – 0421/14/P**

In compliance with the Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction products

***Factory made mineral wool products ROCKWOOL used for thermal insulation of buildings, sold under the trade mark***

Trade mark	Thermal conductivity W/mK	Reaction to fire	Type code according to EN 13 162
ROCKSLAB SONIC (d=50-99mm)	0,036	A1	MW-EN13162-T3-CS(10)0,5-WS-AW0.70-MU1
ROCKSLAB SONIC (d=100-200mm)			MW-EN13162-T3-CS(10)0,5-WS-AW0.95-MU1

placed on the market by : **ROCKWOOL Polska, Sp.z o.o.**  
ul. Kwiatowa 14  
66-131 Cigacice, Poland

placed on the market by : **ROCKWOOL Polska, Sp.z o.o.**  
manufacturing plant ul. Kwiatowa 14  
66-131 Cigacice, Poland (production line CIG 3)

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 13 162:2012+A1:2015**

under system 1 for the performances set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 05. 05. 2014 and will remain valid as long as neither the harmonised standard, the construction product, the AVPC methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Notified Body 1390  
Prague, 29. 03. 2016



  
Ing. Petr Kučera, Ph.D.  
Deputy of Notified Body 1390