



**Centrum stavebního inženýrství a.s. Praha**  
**Centre of Building Construction Engineering Prague**  
Akreditované zkušební laboratoře, Autorizovaná osoba,  
Oznámený subjekt, Certifikační orgán  
Accredited Test Laboratories, Authorised Body,  
Notified Body, Certification Body  
Pražská 16, 102 00 Praha 10



**Notified Body 1390**

## **CERTIFICATE OF CONSTANCY OF PERFORMANCE**

**1390 – CPR – 0296/11/P**

In compliance with the Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

***Factory made mineral wool product ROCKWOOL used for thermal insulation of buildings, sold under the trade marks***

***(trade marks and type codes according to EN 13 162 are given in the annex to the certificate )***

placed on the market by : **ROCKWOOL Polska, Sp.z o.o.**  
**ul. Kwiatowa 14**  
**66-131 Cigacice, Poland**

and produced in the manufacturing plant : **ROCKWOOL, a.s.**  
**Cihelní 769**  
**735 31 Bohumín, Czech republic**  
**(production line Boh 2)**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 13 162:2012+A1:2015**

under system 1 for the performances set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 21. 04. 2011 as a certificate in accordance with CPD and will remain valid as long as neither the harmonised standard, the construction product, the AVPC methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Notified Body 1390  
Prague, 11. 07. 2016



  
Ing. Petr Kučera, Ph.D.  
Deputy of Notified Body 1390



**Centrum stavebního inženýrství a.s. Praha**  
**Centre of Building Construction Engineering Prague**  
Akreditované zkušební laboratoře, Autorizovaná osoba,  
Oznámený subjekt, Certifikační orgán  
Accredited Test Laboratories, Authorised Body,  
Notified Body, Certification Body  
Pražská 16, 102 00 Praha 10



**Annex to the Certificate of Constancy of Performance 1390-CPR-0296/11/P**  
**The certificate covers the following products of ROCKWOOL Polska, Bohumín factory:**

Trade mark	Thermal conductivity W/mK	Reaction to fire	Type code according to EN 13 162
VENTI MAX F (d=20-79mm)	0,034	A1	MW-EN 13162- T4-CS(10)0,5-WS-WL(P)-MU1
VENTI MAX (d=20-79mm)			
WENTIROCK MAX (d=20-79mm)			
WENTIROCK MAX-F (d=20-79mm)			
VENTI MAX F (d≥80mm)	0,034	A1	MW-EN 13162- T4-CS(10)0,5-WS-WL(P)-AW0,95-MU1
VENTI MAX (d≥80mm)			
WENTIROCK MAX (d≥80mm)			
WENTIROCK MAX F(d≥80mm)			
PANELROCK (d=30-200mm)	0,036	A1	MW-EN 13162- T3-CS(10)0,5-WS-MU1
PANELROCK F (d=40-200mm)			
INDUSTRIAL F50 (d=20-200mm)			
INDUSTRIAL 50 (d=20-200mm)			
INDUSTRIAL F80 (d=20-200mm)			
INDUSTRIAL 80 (d=20-200mm)			
INDUSTRIAL 50 SOL (d=20-200mm)	0,033	A1	MW-EN 13162- T3-WS-MU1
INDUSTRIAL 50 HEWALEX (d=20-200mm)			
INDUSTRIAL 50 HEWALEX (d=20-200mm)	0,037	A1	MW-EN 13162- T3-CS(10)0,5-MU1
WENTIROCK (d=20mm)			
WENTIROCK (d= 30-79mm)	0,033	A1	MW-EN 13162- T5-DS(70,90)-WS-WL(P)-MU1
WENTIROCK (d= 80-200mm)			
WENTIROCK F (d=20)			
WENTIROCK F (d=30-79mm)			
WENTIROCK F (d=80-200mm)			
INDUSTRIAL F100 (d=20-200mm)			
INDUSTRIAL F120 (d=20-200mm)	0,038	A1	MW-EN 13162- T5-DS(70,90)-WS-WL(P)-AW0,70-MU1
SPANROCK-M			
SPANROCK M-M (d=40-200mm)			
SPANROCK M77 (d=40-200mm)			
SPANROCK S (d=40-200mm)			
SPANROCK S66 (d=40-200mm)			
SPANROCK L (d=40-240mm)	0,040	A1	MW-EN 13162- T5-DS(70,90)-WS-WL(P)-AW0,95-MU1
SPANROCK L1075 (d=40-200mm)			
SPANROCK XL (d=40-200mm)			
RPI – 4.5 (d=25-50mm)	0,035	A1	MW-EN 13162- T4-WS-MU1

Notified Body 1390  
Prague, 11. 07. 2016



Ing. Petr Kučera, Ph.D.  
Deputy of Notified Body 1390



**Centrum stavebního inženýrství a.s. Praha**  
**Centre of Building Construction Engineering Prague**  
Akreditované zkušební laboratoře, Autorizovaná osoba,  
Oznámený subjekt, Certifikační orgán  
Accredited Test Laboratories, Authorised Body,  
Notified Body, Certification Body  
Pražská 16, 102 00 Praha 10



**Notified Body 1390**

## **CERTIFICATE OF CONSTANCY OF PERFORMANCE**

**1390 – CPR – 0296/11/P**

In compliance with the Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

***Factory made mineral wool product ROCKWOOL used for thermal insulation of buildings, sold under the trade marks***

***(trade marks and type codes according to EN 13 162 are given in the annex to the certificate )***

placed on the market by : **ROCKWOOL Polska, Sp.z o.o.**  
ul. Kwiatowa 14  
66-131 Cigacice, Poland

and produced in the manufacturing plant : **ROCKWOOL, a.s.**  
Cihelní 769  
735 31 Bohumín, Czech republic  
(production line Boh 2)

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 13 162:2012+A1:2015**

under system 1 for the performances set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the **constancy of performance of the construction product.**

This certificate was first issued on 21. 04. 2011 as a certificate in accordance with CPD and will remain valid as long as neither the harmonised standard, the construction product, the AVPC methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Notified Body 1390  
Prague, 01. 06. 2016



  
Ing. Petr Kučera, Ph.D.  
Deputy of Notified Body 1390



**Centrum stavebního inženýrství a.s. Praha**  
**Centre of Building Construction Engineering Prague**  
 Akreditované zkušební laboratoře, Autorizovaná osoba,  
 Oznámený subjekt, Certifikační orgán  
 Accredited Test Laboratories, Authorised Body,  
 Notified Body, Certification Body  
 Pražská 16, 102 00 Praha 10



**Annex to the Certificate of Constancy of Performance 1390-CPR-0296/11/P**  
 The certificate covers the following products of ROCKWOOL Polska, Bohumín factory:

Trade mark	Thermal conductivity W/mK	Reaction to fire	Type code according to EN 13 162		
VENTI MAX F (d=20-79mm)	0,034	A1	MW-EN 13162- T4-CS(10)0,5-WS-WL(P)-MU1		
VENTI MAX (d=20-79mm)			MW-EN 13162- T4-CS(10)0,5-WS-WL(P)-MU1		
WENTIROCK MAX (d=20-79mm)			MW-EN 13162- T3-CS(10)0,5-WS-WL(P)-MU1		
WENTIROCK MAX F (d=20-79mm)					
VENTI MAX F (d≥80mm)	0,034	A1	MW-EN 13162- T4-CS(10)0,5-WS-WL(P)-AW0.95-MU1		
VENTI MAX (d≥80mm)			MW-EN 13162- T3-CS(10)0,5-WS-WL(P)-AW0.95-MU1		
WENTIROCK MAX (d≥80mm)					
WENTIROCK MAX F(d≥80mm)					
PANELROCK (d=30-200mm)	0,036	A1	MW-EN-13162- T3-CS(10)0,5-WS-MU1		
PANELROCK F (d=40-200mm)					
INDUSTRIAL F50 (d=40-200mm)					
INDUSTRIAL 50 (d=30-200mm)					
INDUSTRIAL F80 (d=20-200mm)					
INDUSTRIAL 80 (d=40-200mm)			MW-EN 13162- T3-CS(10)0,5-MU1		
INDUSTRIAL 50 SOL (d=20-200mm)					
INDUSTRIAL 50 HEWALEX (d=20-200mm)					
WENTIROCK (d=20mm)					
WENTIROCK (d= 30-79mm)					
WENTIROCK (d= 80-200mm)	0,033	A1	MW-EN 13162- T5-DS(70,90)-WS-WL(P)-MU1		
WENTIROCK F (d=20)			MW-EN 13162- T5-DS(70,90)-WS-WL(P)-AW0,70-MU1		
WENTIROCK F (d=30-79mm)			MW-EN 13162- T5-DS(70,90)-WS-WL(P)-AW0,95-MU1		
WENTIROCK F (d=80-200mm)			MW-EN 13162- T5-DS(70,90)-WS-WL(P)-MU1		
INDUSTRIAL F100 (d=20-200mm)			MW-EN 13162- T5-DS(70,90)-WS-WL(P)-AW0,70-MU1		
INDUSTRIAL F120 (d=20-200mm)			MW-EN 13162- T5-DS(70,90)-WS-WL(P)-AW0,95-MU1		
SPANROCK M			0,037	A1	MW-EN 13162- T4-CS(10)10-TR7,5-WS-MU1
SPANROCK M-M (d=40-200mm)					
SPANROCK M77 (d=40-200mm)					
SPANROCK S (d=40-200mm)					
SPANROCK S66 (d=40-200mm)					
SPANROCK L (d=40-240mm)	0,040	A1	MW-EN 13162-T5-TR5		
SPANROCK L1075 (d=40-200mm)					
SPANROCK XL (d=40-200mm)					
RPI – 4.5 (d=25-50mm)	0,035	A1	MW-EN 13162- T3-TR1-WS-WL(P)-MU1		

Notified Body 1390  
 Prague, 01. 06. 2016



Ing. Petr Kučera, Ph.D.  
 Deputy of Notified Body 1390